

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 374
Issue date: 02.06.2020 Revision date: 25.11.2022 Supersedes version of: 03.08.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Product name 0451201-02 SANITIZER MULTI-CLEAN

UFI 47KP-1357-GY0A-PVQG Product code 0451201, 0451202

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : Cleaning product.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

BLINKER ESPAÑA, S.A.U. Pol. Ind. Las Atalayas, parcelas 11, 12 y 13 03114 Alicante Spain

T +34 966 10 25 00 - F +34 966 10 25 01 msds@blinkergroup.com - www.blinkergroup.com

BLINKER PORTUGAL, LDA. Parque Oriente, R.D. Nuno Alvares Pereira, nº4 bl. 1 r/c 2695-167 Bobadela Portugal T 21 9112530 - F 21 9112539

#### Distributor

BLINKER FRANCE, S.A.R.L. Allèe de Barcelone, Les Bureaux du Parc Bât. B 66350 Toulouges France T +33 468 68 09 74 - F +33 468 55 31 99

blinkerfrance@blinkerfrance.com - www.blinkergroup.com

#### 1.4. Emergency telephone number

blinker@blinker.pt - www.blinkergroup.com

**Emergency number** : ESPAÑA: 954 37 12 33 (INTCF) // PORTUGAL: 800 250 250 (CIAV) // FRANCE: 05 61 77

74 47

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : 1,2-Benzisothiazol-3(2H)-one Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Extra phrases : 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

#### **Nordic countries regulation**

Denmark

MAL code : 00-1 (Executive Order No. 301 (1993))

#### 2.3. Other hazards

Other hazards which do not result in classification

: On the basis of the facts available, the product does not contain PBT or vPvB substances in percentages higher than 0,1%. The substance/mixture does not contain components that have properties endocrine disruptors at levels of the 0,1% or higher.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	5 – 7	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium N-lauroylsarcosinate	CAS-No.: 137-16-6 EC-No.: 205-281-5 REACH-no: 01-2119527780- 39	1 – 2,5	Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	1 – 2,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS-No.: 68424-85-1 EC-No.: 270-325-2 REACH-no: 01-2119965180- 41	0,1 – 0,25	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6 REACH-no: 01-2119945987- 15	0,1 – 0,25	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,2-Benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	0,01 – 0,05	Acute Tox. 4 (Oral), H302 Skin Sens. 1A, H317 Aquatic Acute 1, H400
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	0,0001 – 0,01	Met. Corr. 1, H290 Skin Corr. 1A, H314 Skin Corr. 1B, H314 Skin Irrit. 2, H315 Eye Dam. 1, H318 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash every body parts after contact. Gently wash with plenty of soap and water. Wash

immediately with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Get immediate medical advice/attention.

Protect the eye unscathed.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water.

Unsuitable extinguishing media : None.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Do not inhale the gases produced by the explosion and by combustion. Combustion

produces heavy smoke.

#### 5.3. Advice for firefighters

Protection during firefighting : Wear suitable respiratory equipment. Collect contaminated extinguishing water separately

and must not enter the sewage system.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear recommended personal protective equipment. Evacuate personnel to a safe area.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas. Prevent it from entering the pipeline / surface water / groundwater. Conserve contaminated wash water and dispose of it. In the event of gas leakage or penetration into water courses, soil or sewage system, inform the responsible authorities. Suitable collection material: absorbent, organic material, sand.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

#### 6.4. Reference to other sections

For further information refer to section 13. See Headings 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep away from food, drink and animal feeding stuffs.

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : None, to our knowledge.

Storage area : Store in a well-ventilated place.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

# Propan-2-ol (67-63-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 888 mg/kg KW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propan-2-ol (67-63-0)	
Long-term - systemic effects, inhalation	500 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	26 mg/kg KW
Long-term - systemic effects, inhalation	89 mg/m³
Long-term - systemic effects, dermal	319 mg/kg KW
PNEC (Water)	
PNEC aqua (freshwater)	140,9 mg/l
PNEC aqua (marine water)	140,9 mg/l
PNEC aqua (intermittent, freshwater)	140,9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg KW
PNEC (Soil)	
PNEC soil	28 mg/kg KW
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l
Ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m³
Long-term - systemic effects, dermal	343 mg/kg KW
Long-term - systemic effects, inhalation	950 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m³
Long-term - systemic effects, inhalation	114 mg/m³
Long-term - systemic effects, dermal	206 mg/kg KW
PNEC (Water)	
PNEC aqua (freshwater)	0,96 mg/l
PNEC aqua (marine water)	0,79 mg/l
PNEC aqua (intermittent, freshwater)	2,75 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	36 mg/kg KW
PNEC sediment (marine water)	2,9 mg/kg KW
PNEC (Soil)	
PNEC soil	0,63 mg/kg KW
PNEC (Oral)	
PNEC oral (secondary poisoning)	0,72 mg/kg
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	5,7 mg/kg KW	
Long-term - systemic effects, inhalation	3,96 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	1,64 mg/m³	
Long-term - systemic effects, dermal	3,4 mg/kg KW	
PNEC (Water)		
PNEC aqua (freshwater)	0,001 mg/l	
PNEC aqua (marine water)	0,001 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	12,27 mg/kg KW	
PNEC sediment (marine water)	13,09 mg/kg KW	
PNEC (Soil)		
PNEC soil	7 mg/kg KW	
PNEC (STP)		
PNEC sewage treatment plant	0,4 mg/l	
Sodium hydroxide (1310-73-2)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	1 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1 mg/m³	
1,2-Benzisothiazol-3(2H)-one (2634-33-5)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	1 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1 mg/m³	
Didecyldimethylammonium chloride (7173-51-5)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	1,55 mg/kg KW	
Acute - systemic effects, inhalation	5,39 mg/m³	
Long-term - systemic effects, dermal	1,55 mg/kg KW	
Long-term - systemic effects, inhalation	5,39 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,002 mg/l	
PNEC aqua (marine water)	0,0002 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	2,82 mg/kg KW	
PNEC sediment (marine water)	0,28 mg/kg KW	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Didecyldimethylammonium chloride (7173-51-5)		
PNEC (Soil)		
PNEC soil	1,4 mg/kg KW	
PNEC (STP)		
PNEC sewage treatment plant	0,595 mg/l	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR), Chloroprene rubber (CR), Polyvinylchloride (PVC)	6 (> 480 minutes)	0,12		

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Green.
Odour : perfumed.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Not available Boiling point Flammability Not applicable Lower explosion limit Not available Upper explosion limit Not available Flash point Not available Auto-ignition temperature : Not available Decomposition temperature : Not available

рΗ : 8.5

Viscosity, kinematic Not available

: Soluble in water. Partially soluble in oil. Solubility

Partition coefficient n-octanol/water (Log Kow) : Not available Not available Vapour pressure Vapour pressure at 50°C : Not available Density : 0.99 a/ml Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propan-2-ol (67-63-0)	
LD50 oral rat	4710 mg/kg
LD50 dermal rabbit	16,4 ml/kg
LC50 Inhalation - Rat	> 25 mg/l/4h
Sodium N-lauroylsarcosinate (137-16-6)	
LD50 oral rat	> 5000 mg/kg
LC50 Inhalation - Rat	1 mg/l/4h
Ethanol (64-17-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h
Quaternary ammonium compounds, benzyl-C	12-16-alkyldimethyl, chlorides (68424-85-1)
LD50 oral rat	344 mg/kg
LD50 dermal rabbit	3412 mg/kg
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
LD50 oral rat	670 mg/kg
LD50 dermal rat	> 2000 mg/kg
Didecyldimethylammonium chloride (7173-51	-5)
LD50 oral rat	238 mg/kg
LD50 dermal rabbit	3342 mg/kg
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	pH: 8,5 Causes serious eye irritation. pH: 8,5
. ,	Not classified
9	Not classified
3 ,	Not classified
•	Not classified
- 5 1	Not classified
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
	Not classified
Aspiration hazard :	Not classified

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

ΙΔΤΔ

Transport hazard class(es) (IATA) : Not applicable

**ADN** 

Transport hazard class(es) (ADN) : Not applicable

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**RID** 

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Didecyldimethylammonium chloride (7173-51-5)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

25.11.2022 (Revision date) EN (English) 11/13

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	
RG 66	Occupational rhinitis and asthma	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides are

listed

SZW-lijst van mutagene stoffen : Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : Ethanol is listed

SZW-lijst van reprotoxische stoffen – : Ethanol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : Ethanol is listed

Denmark

MAL code : 00-1 (Executive Order No. 301 (1993))

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.