

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 318
Issue date: 02.11.2017 Revision date: 17.04.2023 Supersedes version of: 02.11.2017 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Mixture

Product name 44586094-95 2K LACQUER SPRAY

Product code : 44586094, 44586095

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

: Professional use Main use category

Use of the substance/mixture : Varnish

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

BLINKER ESPAÑA, S.A.U.

Pol. Ind. Las Atalayas, parcelas 11, 12 y 13

03114 Alicante

Spain

T +34 966 10 25 00 - F +34 966 10 25 01

msds@blinkergroup.com - www.blinkergroup.com

### **Distributor**

BLINKER PORTUGAL, LDA.

Parque Oriente, R.D. Nuno Alvares Pereira, nº4 bl. 1 r/c

2695-167 Bobadela

Portugal

T 21 9112530 - F 21 9112539

blinker@blinker.pt - www.blinkergroup.com

#### Distributor

BLINKER FRANCE, S.A.R.L.

Allèe de Barcelone, Les Bureaux du Parc Bât. B

66350 Toulouges

France

T +33 468 68 09 74 - F +33 468 55 31 99

blinkerfrance@blinkerfrance.com - www.blinkergroup.com

## 1.4. Emergency telephone number

Emergency number : ESPAÑA: 954 37 12 33 (INTCF) // PORTUGAL: 800 250 250 (CIAV) // FRANCE: 05 61 77

74 47

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229 Serious eye damage/eye irritation, Category 2 H319 H317 Skin sensitisation, Category 1 Specific target organ toxicity - Single exposure, Category 3, H336

Narcosis

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

Contains : propanone; n-Butyl acetate; 2-methoxy-1-methylethyl acetate; Aliphatic polyisocyanate; A

mixture of: α-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-

hydroxypoly(oxyethylene);  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-

hydroxyphenyl)propionyloxypoly(oxyethylene)

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated. H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P101 - Si se necesita consejo médico, tener a mano el envase o la etiqueta.

P102 - Keep out of reach of children.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation. EUH066 - Repeated exposure may cause skin dryness or cracking.

: EUHU00 - Repeated exposure may cause skin dryness or cracking.

EUH204 - Contains isocyanates. May produce an allergic reaction.

Extra phrases : As of August 24, 2023, it is mandatory to have adequate training to proceed with industrial

or professional use.

Without sufficient ventilation explosive mixtures can form.

## 2.3. Other hazards

**EUH-statements** 

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dimethylether	CAS-No.: 115-10-6 EC-No.: 204-065-8 EC Index-No.: 603-019-00-8 REACH-no: 01-2119472128- 37	25 – 50	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propanone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	12,5 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
n-Butyl acetate	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1 REACH-no: 01-2119485493- 29	12,5 – 20	Flam. Liq. 3, H226 STOT SE 3, H336
2-methoxy-1-methylethyl acetate	CAS-No.: 108-65-6 EC-No.: 203-603-9 EC Index-No.: 607-195-00-7 REACH-no: 01-2119475791-	5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
Aliphatic polyisocyanate	EC-No.: 931-274-8 REACH-no: 01-2119485796- 17	2,5 – 5	Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 STOT SE 3, H335
Xylene	EC-No.: 905-588-0 EC Index-No.: 601-022-00-9 REACH-no: 01-2119488216- 32	2,5 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304
Hydrocarbons, C9, aromatic	EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	< 2,5	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
A mixture of: $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene); $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	CAS-No.: 104810-47-1 EC-No.: 400-830-7 EC Index-No.: 607-176-00-3 REACH-no: 01-2119396032-	≤ 0,5	Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : May cause an allergic skin reaction. May cause drowsiness or dizziness.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Repeated exposure may cause skin dryness or

cracking.

Symptoms/effects after eye contact : Eye irritation. Causes serious eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

 ${\it dust/fume/gas/mist/vapours/spray}. \ {\it Avoid contact with skin and eyes}. \ {\it Evacuate unnecessary}$ 

personnel.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in

process area to prevent formation of vapour.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly

after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked

up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep only in

the original container in a cool, well ventilated place away from :

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

U - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	1210 mg/m³
IOEL TWA [ppm] 500 ppm  Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	500 ppm
OEL STEL [ppm]	750 ppm
Spain - Occupational Exposure Limits  Local name Acetona	
VLA-ED (OEL TWA) [2]	500 ppm

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propanone (67-64-1)		
Remark	VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento.) , VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país.)	
United Kingdom - Occupational Exposure Limits		
Local name	Acetone	
WEL TWA (OEL TWA) [1]	1210 mg/m³	
WEL TWA (OEL TWA) [2]	500 ppm	
WEL STEL (OEL STEL)	3620 mg/m³	
WEL STEL (OEL STEL) [ppm]	1500 ppm	

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

8.1.4. DNEL and PNEC		
Dimethylether (115-10-6)		
DNEL/DMEL (Workers)		
1894 mg/m³		
471 mg/m³		
0,155 mg/l		
0,016 mg/l		
1,549 mg/l		
0,681 mg/kg KW		
0,069 mg/kg KW		
PNEC (Soil)		
0,045 mg/kg KW		
1,549 mg/l		
2420 mg/m³		
186 mg/kg bw/day		
1210 mg/m³		
DNEL/DMEL (General population)		
62 mg/m³		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Long-term - systemic effects, dermal 62 mg	mg/m³ ng/kg bw/day		
	ng/kg bw/day		
PNEC (Water)			
	PNEC (Water)		
PNEC aqua (freshwater) 10,6 r	mg/l		
PNEC aqua (marine water) 1,06 r	mg/l		
PNEC aqua (intermittent, freshwater) 21 mg	ng/l		
PNEC (Sediment)			
PNEC sediment (freshwater) 30,04	4 mg/kg wet weight		
PNEC sediment (marine water) 3,04 r	mg/kg wet weight		
PNEC (STP)			
PNEC sewage treatment plant 100 m	mg/l		
n-Butyl acetate (123-86-4)			
DNEL/DMEL (Workers)			
Acute - systemic effects, dermal 11 mg	ng/kg bw/day		
Acute - systemic effects, inhalation 600 m	mg/m³		
Acute - local effects, inhalation 600 m	mg/m³		
ong-term - systemic effects, dermal 7 mg/	ı/kg bw/day		
ong-term - systemic effects, inhalation 48 mg	ng/m³		
ong-term - local effects, inhalation 300 n	mg/m³		
DNEL/DMEL (General population)			
Acute - systemic effects, dermal 6 mg/	/kg bw/day		
Acute - systemic effects, inhalation 300 n	mg/m³		
Acute - systemic effects, oral 2 mg/	/kg bw/day		
Acute - local effects, inhalation 300 n	mg/m³		
ong-term - systemic effects,oral 2 mg/	/kg bw/day		
Long-term - systemic effects, inhalation 12 mg	ng/m³		
ong-term - systemic effects, dermal 3,4 m	ng/kg bw/day		
ong-term - local effects, inhalation 35,7 r	mg/m³		
PNEC (Water)			
PNEC aqua (freshwater) 0,18 r	mg/l		
PNEC aqua (marine water) 0,018	8 mg/l		
PNEC aqua (intermittent, freshwater) 0,36 r	mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater) 0,981	1 mg/kg wet weight		
PNEC sediment (marine water) 0,098	81 mg/kg wet weight		
PNEC (Soil)			
PNEC soil 0,09 r	mg/kg KW		
PNEC (STP)			
PNEC sewage treatment plant 35,6 r	mg/l		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-methoxy-1-methylethyl acetate (108-65-6)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	550 mg/m³	
Long-term - systemic effects, dermal	796 mg/kg KW	
Long-term - systemic effects, inhalation	275 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	36 mg/kg KW	
Long-term - systemic effects, inhalation	33 mg/m³	
Long-term - systemic effects, dermal	320 mg/kg KW	
Long-term - local effects, inhalation	33 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,635 mg/l	
PNEC aqua (marine water)	0,064 mg/l	
PNEC aqua (intermittent, freshwater)	6,35 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3,29 mg/kg KW	
PNEC sediment (marine water)	0,329 mg/kg KW	
PNEC (Soil)		
PNEC soil	0,29 mg/kg KW	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
Aliphatic polyisocyanate		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	1 mg/m³	
Long-term - local effects, inhalation	0,5 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,127 mg/l	
PNEC aqua (marine water)	0,0127 mg/l	
PNEC aqua (intermittent, freshwater)	1,27 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	266700 mg/kg dwt	
PNEC sediment (marine water)	26670 mg/kg dwt	
PNEC (Soil)		
PNEC soil	53182 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant 38,3 mg/l		
Hydrocarbons, C9, aromatic		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	25 mg/kg KW	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C9, aromatic		
Long-term - systemic effects, inhalation	150 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	11 mg/kg KW	
Long-term - systemic effects, inhalation	32 mg/m³	
Long-term - systemic effects, dermal	11 mg/kg KW	
Xylene		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	442 mg/m³	
Acute - local effects, inhalation	289 mg/m³	
Long-term - systemic effects, dermal	180 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	211 mg/m³	
Long-term - local effects, inhalation	221 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	260 mg/m³	
Acute - local effects, inhalation	260 mg/m³	
Long-term - systemic effects,oral	1,6 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	14,8 mg/m³	
Long-term - local effects, inhalation	65,3 mg/m³	

### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

# Personal protective equipment symbol(s):







## 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses. Chemical goggles or safety glasses.

### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	Hand protection					
Type Material			Permeation	Thickness (mm)	Penetration	Standard
		Butyl rubber	6 (> 480 minutes)	0,4		

### 8.2.2.3. Respiratory protection

### Respiratory protection:

Filter, A2/P3

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Spray
Colour : Colourless.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available

Flammability : Extremely flammable aerosol, Non flammable. Explosive properties : Pressurised container: May burst if heated.

Lower explosion limit : 1,2 vol %
Upper explosion limit : 26,2 vol %
Flash point : Not applicable
Auto-ignition temperature : 240 °C
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not applicable

Solubility : Not miscible or difficult to mix with water.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 4000 hPa Vapour pressure at 50°C : Not available Density : 0,8 g/cm³ Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

# 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 83,8 %

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.2. Chemical stability

Stable under normal conditions. Not established.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

LD50 dermal rabbit

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified	
Dimethylether (115-10-6)		
LD50 oral	> 2000 mg/kg	
LD50 dermal	> 2000 mg/kg	
LC50 Inhalation - Rat	308 mg/l/4h	
propanone (67-64-1)		
LD50 oral	5300 mg/kg	
LD50 dermal rabbit	> 20 ml/kg	
LC50 Inhalation - Rat	76 mg/l/4h	
n-Butyl acetate (123-86-4)		
LD50 oral rat	> 6400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	0,74 mg/l/4h	
2-methoxy-1-methylethyl acetate (108-65-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/l	
LC50 Inhalation - Rat	23,5 mg/l/4h	
Aliphatic polyisocyanate		
LD50 oral rat	> 2500 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	400 mg/l/4h	
Hydrocarbons, C9, aromatic		
LD50 oral	3592 mg/kg	
LDC0 dames al malabit	2400	

> 3160 mg/kg

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C9, aromatic		
LC50 Inhalation - Rat [ppm]	3400 ppm/4h	
	отоо ррпитп	
Xylene		
LD50 oral rat	3523 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 Inhalation - Rat	29000 mg/m³ (4 h)	
Additional information :  Serious eye damage/irritation :  Respiratory or skin sensitisation :  Germ cell mutagenicity :  Additional information :  Carcinogenicity :  Additional information :  Reproductive toxicity :  Additional information :	Not classified Based on available data, the classification criteria are not met Causes serious eye irritation. May cause an allergic skin reaction. Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause drowsiness or dizziness.	
STOT-single exposure	May cause drowsiness or dizziness.	
	imay cause drowsiness or dizziness.	
n-Butyl acetate (123-86-4)		
STOT-single exposure	May cause drowsiness or dizziness.	
2-methoxy-1-methylethyl acetate (108-65-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
Aliphatic polyisocyanate		
STOT-single exposure	May cause respiratory irritation.	
Hydrocarbons, C9, aromatic		
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.	
Xylene		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure : Additional information :	Not classified Based on available data, the classification criteria are not met	
Xylene		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard : Additional information :	Not classified Based on available data, the classification criteria are not met	
44.0 Information on other beneath		

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

17.04.2023 (Revision date) EN (English) 12/18

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

## 12.2. Persistence and degradability

### 44586094-95 2K LACQUER SPRAY

Persistence and degradability Not established.

## 12.3. Bioaccumulative potential

# 44586094-95 2K LACQUER SPRAY

Bioaccumulative potential Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1950

 UN-No. (IMDG)
 : UN 1950

 UN-No. (IATA)
 : UN 1950

 UN-No. (ADN)
 : UN 1950

 UN-No. (RID)
 : UN 1950

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (ADN) : AEROSOLS
Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1
Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1
Transport document description (ADN) : UN 1950 AEROSOLS, 2.1
Transport document description (RID) : UN 1950 AEROSOLS, 2.1

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1



### **IMDG**

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1



### **IATA**

Transport hazard class(es) (IATA) : 2.1
Danger labels (IATA) : 2.1



### ADN

Transport hazard class(es) (ADN) : 2.1
Danger labels (ADN) : 2.1



### RID

Transport hazard class(es) (RID) : 2.1 Danger labels (RID) : 2.1



# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E0 : P207, LP02 Packing instructions (IMDG) Special packing provisions (IMDG) : PP87, L2 : F-D EmS-No. (Fire) EmS-No. (Spillage) : S-U Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 : SG69 Segregation (IMDG)

# Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

# Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content : 83,8 %

# **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **ANNEX II REPORTABLE EXPLOSIVES PRECURSORS**

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Combined	Combined Nomenclature code for mixture without
			constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list\_of\_competent\_authorities\_and\_national\_contact\_points\_en.pdf

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### **France**

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

None of the components are listed

: None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Persons suffering from asthma or eczema and persons who have chronic lung diseases,

skin or respiratory allergies to isocyanates should not work with the material

The requirements from the Danish Working Environment Authorities regarding work with

epoxy resins and isocyanates must be observed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
EUH204	Contains isocyanates. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	

17.04.2023 (Revision date) EN (English) 17/18

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Extremely flammable gas.		
Extremely flammable aerosol.		
Highly flammable liquid and vapour.		
Flammable liquid and vapour.		
Pressurised container: May burst if heated.		
Contains gas under pressure; may explode if heated.		
May be fatal if swallowed and enters airways.		
Harmful in contact with skin.		
Causes skin irritation.		
May cause an allergic skin reaction.		
Causes serious eye irritation.		
Harmful if inhaled.		
May cause respiratory irritation.		
May cause drowsiness or dizziness.		
May cause damage to organs through prolonged or repeated exposure.		
Toxic to aquatic life with long lasting effects.		
Gases under pressure : Compressed gas		
Skin corrosion/irritation, Category 2		
Skin sensitisation, Category 1		
Specific target organ toxicity – Repeated exposure, Category 2		
Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.